## 1 6 DEC 1983

MEMORANDUM FOR:	(See Addressee List)	
FROM:		25 <b>X</b> 1
	Director of Global Issues	
SUBJECT:	Colombia: Rebound in Marijuana Production	
•		
l. We esti	mate that Colombian marijuana	25 <b>X</b> 1
was up almost 60	porcent from fast year.	25 <b>X</b> 1
northern growing	areas showed an expansion in the marijuana area	25/1
1982. Production	n in 1983 was thus best	
reached during 19 estimate in great		25 <b>X</b> 1
Security Issues D	orandum was prepared by International Division, Office of Global Issues.	25X1 25X1
3. Question	as and comments are welcome	20/(1
to the Chief, Str	rategic Narcotics Branch, OGI,	25 <b>X</b> 1
		25 <b>X</b> 1
	·	
•		
Attachment:	·	
Colombia: Rebou	nd in Marijuana Production	
GI M-10243, Dec	ember 1983	25 <b>X</b> 1
	NGA, DEA Reviews Completed	
		25 <b>X</b> 1
	C1N Sp-109113	
	GIM 83-10243	25 <b>X</b> 1
		20/(1
Sanitized Copy Approve	ed for Release 2010/08/06 : CIA-RDP85T00287R000600980001-0	

EXTERNAL ADDRESSES (Colombia: Rebound in Marijuana Production)

Mr. Clyde Taylor
Deputy Assistant Secretary for
International Narcotic Matters
Department of State

Dr. Carlton Turner
Special Assistant to the President
for Drug Abuse Policy
Old Executive Office Building

Mr. J. Philip Hughes
Deputy Assistant to the Vice President
for National Security Affairs
Old Executive Office Building

Mr. Gary Liming
Deputy Assistant Administrator for Intelligence
Drug Enforcement Administration

Mr. Jon Wiant Special Assistant to the Director Bureau of Intelligence and Research Department of State

Captain James Haas Chief, Intelligence and Security Division US Coast Guard US Coast Guard Headquarters (G-OIS)

Mr. Douglas Mulholland
Special Asssistant to the Secretary
 (National Security)
Office of Intelligence Support
Department of Treasury

Mr. George D. Heavey Acting Director, Information Division Office of Enforcement U.S. Custom Services

Sanitized Copy Approved for Release 2010/08/06 : CIA-RDP85T00287R000600980001-0	25 <b>X</b> 1
: INTERNAL ADDRESSEES (Colombia: Rebound in Marijuana Production)	
Distribution: Orig - Addressees  1 - SA/DDCI  1 - ExDIR  1 - DDI  1 - ADDI  1 - DDI Registry  1 - DDI/PES  1 - DDI/ALA/SAD/SAW  1 - DDI/OIA/ERD/RSB	
1 - DDO/IAD 1 - NIO/NAR 1 - CPAS/ILS 1 - D/OGI 2 - C/ISID 2 - ISID/NAR 8 - OGI/PS	25X1

OGI/ISID/NAR/

(6 December 1983) 25X1

Central Intelligence Agency



Washington, D. C. 20505

### DIRECTORATE OF INTELLIGENCE

16 December 1983

Colombia: Rebound in Marijuana Production

#### Summary

Marijuana production in Colombia this year has increased dramatically, up almost 60 percent over last year's drought-affected crop and somewhat higher than estimated average 25X1 annual production during 1979-81. Our estimate that some 13,500	1
metric tons were harvested this year is based on:	
of portions of Colombia's northern marijuana growing region which revealed an increase in the area for the fall harvest;	
o good weather during the growing season which suggests that yields for the fall harvest were average or above average;	
reports from US Drug Enforcement Administration (DEA) officials regarding the size of northern Colombia's smaller spring harvest.	
Should interdiction efforts approximate last year's, some 11,000	25 <b>X</b> 1
tons of marijuana will be exported to the United States from the	25 <b>X</b> 1
This memorandum was prepared by International Security Issues Division, Office of Global Issues with a contribution from the Analytical Support Group. It incorporates information available as of 5 December 1983, comments and queries are welcome and may be directed to the Chief, Strategic Narcotics	25 <b>X</b> 1
	25 <b>X</b> 1
GI M 83-10243	
December 1983	
	25 <b>X</b> 1

Sanitized Copy Approved for Release 2010/08/06: CIA-RDP85T00287R000600980001-0

Colombia: Rebound in Marijuana Production

mail Juana Production in Colombia	
with the fall harvest substantially larger than the spring	25 <b>X</b> 1
crop. Poor weather in March-April 1982 lowered yields for the spring harvest and interfered with planting for the fall harvest. Analysis of portions of the northern growing region confirmed a drop in the area planted, leading us to believe that only some 8,600 tons would be available for export to the United States.	25 <b>X</b> 1
Analysis	5X1 25X1
Northern Colombia's Fall 1983 Marijuana Cultivation	
The marijuana crop harvested in northern Colombia in September accounts for about 85 percent of the country's yearly production.	25X1
This analysis revealed three distinct areas with differing intensities of marijuana cultivation: 25X1	25 <b>X</b>
a low density zone situated principally along the southern and eastern portions of the Sierra Nevada de Santa Marta mountains, encompassing some 710 square kilometers and containing approximately 570 hectares of marijuanaabout l field per square kilometer;	25X1

25X1

25X1

- a medium density zone located along the northern face of the Sierra Neveda de Santa Marta Mountains and also encompassing most of the Serrania de Perija mountains, covering about 740 square kilometers with approximately 3,200 hectares of marijuana and 3 fields per square kilometer;
- a high density zone located along the Rio Frio and in the central portion of the Serrania de Perija mountains, covering 170 square kilometers with 4,800 hectares of marijuana and 16 fields per square kilometer. 25X1

The total area cultivated in the northern region during

April-September 1983
-is estimated to be 8,570 hectares, an increase of 55 percent over last year's estimated area of 5,520 hectares.\*

A comparison

Of the 1982 crop season shows:

- a medium density zone where none existed in 1982;
- an increase of almost 30 percent in the average field size in the high density zone;
- ° considerably less field abandonment in 1983 compared to last year.

We believe these observations reflect the effects of better weather this year than last. Analysis of weather satellite imagery indicates that more rainfall was available during March-April 1983, a critical period in the marijuana growth cycle of the fall crop, than the previous March-April.

\*Given the methodology used to prepare some estimates, there is statistically a 67 percent probability that the true hectarage lies between 6,570 and 10,570 hectares.

25X1

Table 1

Northern Colombia: Marijuana Area for the Fall Harvest, 1982-1983

	1982 Survey	1983 Survey
Area for fall marijuana harvest*	5,520 hectares	8,570 hectares
Average field size high density medium density- low density	1.4 hectares  1.0 hectares	<ul><li>1.8 hectares</li><li>1.3 hectares</li><li>.9 hectares</li></ul>
Density of cultivation high density medium density low density	17 hectares/sq km 1.6 hectares/sq km	28.3 hectares/sq km 4.3 hectares/sq km .8 hectares/sq km
Size of cultivation zone high density medium density low density	190 sq km  1,430 sq km	170 sq km 740 sq km 710 sq km
Area cultivated high density medium density low density	3,230 hectares 2,290 hectares	4,810 hectares 3,190 hectares 570 hectares

25X1

25**X**1

n
en it
1 C
<u>,</u>

25X1

Table 2

# Colombia: Estimated Marijuana Production


•	1982	1983
Potential Production from Area Sown	9,600 (metric tons)	15,000
Northern Colombia		
Fall Harvest	6,500	10,100
Spring Harvest <sup>1</sup>	1,600	2,500
Other Regions	1,500	2,400
Losses due to Colombian $\operatorname{Eradication}^2$	1,000	1,500
Total Harvested	8,600	13,500
Losses due to Colombian Interdiction <sup>2</sup>	2,400	2,500
Available for Export	6,200	11,000

a limited sample of cultivated areas during both seasons.	<sup>1</sup> Based on reports from US Drug Enforcement Administration officials in Colombia
both seasons. a limited sample of cultivated areas during	CITICIAIS IN COTOMOTA
	both seasons.   a limited sample of cultivated areas during

25X1 25X

25X1

25X1



25X1 25X1